

>

>



Product Name: Carte mere Commell FS-97BXG2

Manufacturer: Commell

Model Number: CMCOFS-97BXG2

Intel® Core™ 2 Quad / Core™ 2 Duo processor , 533 / 800 / 1066 MHz FSB

Intel® Q965 & ICH8DO chipset

DDRII 533 / 667/ 800 MHz up to 4 GB , Onboard VGA

Optional 24-bit Dual Channel LVDS or DVI interface

Onboard 2 x Intel® Gigabit LAN , 6 x SATA with RAID 0/1/5/10

RS232/422/485 , USB 2.0 , 8-bit GPIO , LPT , FDD , IrDA , Mini-PCI

Form Factor

CPU

Memory

Chipset

Real Time Clock

Watchdog Timer

Power Management

VGA Interface

Video Memory

DVI Interface

LVDS Interface

Serial ATA Interface

Audio Interface

LAN Interface

GPIO Interface

Extend Interface

External I/O Port

PICMG 1.0 CPU Card

Intel Core™ 2 Quad / Core™ 2 Duo / Pentium D
processor LGA775 @ 533 / 800 / 1066 MHz FSB

2 x DDR2 533/667/800 MHz SDRAM up to 4 GB

Intel Q965 & ICH8DO

Chipset integrated RTC with onboard lithium battery

Generates a system reset internal timer for 1min ~ 255
min

ACPI 1.0 compliant, supports power saving mode

Intel Q965 integrated GMA (Graphic Media
Accelerator) 3000 Technology

Up to 256MB shared with system memory

Optional Chrontel CH7307B DVI transmitter interface

Optional Chrontel CH7308 LVDS transmitter interface

6 x Serial ATA Interface with 300 MB/s transfer rate.

support RAID 0/1/5/10 and Intel Matrix Storage
Technology

Realtek ALC260 2-channel Audio

2 x Intel 82573L Gigabit Ethernet .(FS-97BG2 Model
only)

Onboard programmable 8-bit digital I/O interface

1 x Mini-PCI socket

2x RJ45 LAN port (FS-97BG2 model) , 1x DB15 VGA
port, 1 x PS/2 Keyboard / Mouse ports,

>

Internal I/O Port

1 x RS232 & 1 x RS232/422/485, 1 x FDD, 1 x IrDA , 1
x LPT 6 x USB 2.0, 1 x 8-bit GPIO, 1 x Audio, 1 x CDIN
, 1x DVI (FS-97BDG version) , LVDS and LCD
inverter connector. (FS-97BXG version)

Power Requirement

+5V , +12V input & 5VSB Requirement

Board Dimension

338mm x 122 mm (L x W)

Operation Temperature

0 ~ 60 •Ž

FS-97BXG2

Intel Core™ 2 Duo PICMG 1.0 with onboard VGA, SATA,
USB 2.0, Audio,RS232/422/485, Mini-PCI, 1 x LVDS, 2 x
Giga LAN

Specifications

Ce produit a ete rajouté a notre catalogue le vendredi 15 avril 2011