

>



Product Name: BBAODE6100
Manufacturer: Aopen
Model Number: BBAODE6100

Ce mini pc Ultra puissant Fanless fait parti de la gamme Digital Engine de Aopen.C'est un player parfait pour les applications d'affichage dynamique (digital signage), de bornes (Kiosk) et de diffusion de publicités.
Il peut gerer 3 ecrans en resolutions HD grace à deux ports HDMI et un port 'Display port'.

Model	DE6100
Dimension:	Metric : 166(W) x 48(H) x 157(D)mm inch : 6.54(W) x 1.89(H) x 6.18(D)inch
Volume:	1.25L
Single Pack Weight:	N.W. : 1.12 kgs / 2.46 lbs G.W. : 2.0 kgs / 4.4 lbs
CPU:	Socket : Socket FS1r2 Type : Support AMD Embedded R-series APU Dual/Quad core mobile processor TDPf35W
Chipset:	FCH: AMD A70M chipset Dual Channel
Memory:	Type : DDRIII SO-DIMM x 2 Speed Grade : 1333/1600Mbps Max memory : 16G (based on OS support)
Graphics:	Chip : AMD Radeon HD 7660G(build in APU R-464L)*Different APU build in different GPU
Expansion Slot:	mini Card Slot : Full size x1 (support mSATA)
Audio:	Type : Realtek HD Audio Codec ALC662 Channel : Stereo

>

LAN:	Realtek GbE LAN controller RTL8111E-VL 10/100/1000Mbps
Storage Bay:	Slot-in Slim ODD Bay : N/A 2.5" SATA III HDD Bay : x 1 CF card socket : N/A
Power Button & indicator:	Power Button : x 1 @Front panel HDD indicator : Blue x 1 @Front panel Power indicator : Blue x 1 @Front panel
Front Panel IO:	USB 2.0 Port : x 2 USB3.0 Port : N/A DC Jack : x 1 DVI Port : N/A VGA Port : N/A HDMI Port : x 2 Display Port : x 1 USB 2.0 Port : x 2
Rear Panel IO:	USB 3.0 Port : X 2 RJ-45 LAN Jack : x 1 Legacy RS232 Serial Port (COM Port) : x 1 Audio Set Line-In : N/A Audio Set Line-Out : x 1 Audio Set Mic-In : x 1 Upgrade for Antenna Port : x 2 Kensington Lock Hole : x 1
CPU Thermal Module:	AOpen Thermal Module
WatchDog Timer:	1 ~ 255 sec/min
Adapter:	90W (19V, 4.74A) AC Adapter
Input Voltage:	AC 100 ~ 240V MTBF : 40,000 hrs
Environment:	Operating Temperature : 0 ~ 50°C (32 ~ 122°F) Storage Temperature : -30 ~ 60°C (-22 ~ 140°F) Relative Humidity : 95% RH (50°C non-Condensing)
Support OS:	Windows 8 Pro/Ultimate : V Windows 7 Pro/Ultimate : V Windows XP : V Windows XP Embedded : V Windows Embedded Standard 2009 (WES2009) : V Windows Embedded Standard 7 (WES7E) : V Windows Embedded Standard 7 (WES7P) : V Windows Embedded 8 Standard : V

Specifications

>

Ce produit a ete rajouté a notre catalogue le vendredi 21 juin 2013