

>



Product Name: HBJC501F9Q-Q87-B
Manufacturer: Jetway
Model Number: BBJEHBJC501F9Q-Q87-B

Mini PC Fanless Hautes performance : - 4th Generation Intel® Core i7 / i5 / i3 /

- Pentium Processor < 45W
- Embedded Long-life Series, Planned Lifecycle Through Q1'2018
 - Intel HD 4000/5000 Graphics, DirectX 11.1
 - Supports up to 2 Displays, HDMI, DVI-I
 - Supports iAMT 9.0 Function
 - ECO-design for EuP/ErP

Model No	JBC501F9Q-Q87-B	JBC501F9QW-Q87-B
Part No	HBJC501F9Q-Q87-B	HBJC501F9QW-Q87-B
Motherboard Specification		
CPU	4th Generation Intel® Core i7 / i5 / i3 / Pentium Processor < 45W Socket LGA 1150 (Formerly Haswell)	
Chipset	Intel Q87 Chipset	
Memory	2 x 204-pin SODIMM DDR3-1600 Dual Channel (up to 16 GB)	
Graphics	Requires Intel Core processor with Intel HD Graphics	
LAN	1 x Intel i217LM PHY Gigabit LAN (iAMT 9.0) 1 x Intel i211AT PCI-E Gigabit LAN	
Audio	Realtek ALC662 HD Audio codec	
Storage	4 x SATA3 6Gb/s Ports with RAID 0, 1, 5, 10 , JBOD 1 x Shared mSATA/mini-PCI Express Combo slot (Full-size)	
Wireless / Mini-PCIE Slot	1 * Mini-PCI Express Slot (Half-size)	Wireless 802.11 b/g/n
USB	Embedded 4 * USB 3.0 & 2 * USB 2.0	
MB Form Factor	Mini-ITX (170mm x 170mm)	
Chassis Specification		

>

Product size	260 (W) * 208 (D) * 58.5 (H) mm
Color	Black
Storage	1 * 2.5" SATA Drive Bay
	1 * Power Button
Front I/O Port	1 * HDD LED
	2 * USB 2.0 ports
	6 * DB9 punchouts
	1 * +9 ~ +24V 4-pin MINI DIN jack
	1 * HDMI (up to 1920 x 1080)
	1 * DVI-I (up to 1920 x 1080)
	1 * RS232/422/485 jumperless COM port
Rear I/O Port	4 * RS232 COM port
	4 * USB 3.0 ports
	2 * RJ-45 ports
	1 * Line-out jack
	1 * MIC-in jack
	2 * SMA Connector for WiFi Antenna
	These connectors may not be fully usable with chassis closed, but the information is provided for customer alternative uses.
Other Internal	1 * 24-bit Dual Channel LVDS connector/inverter (CHRONTEL CH7511B chipset up to
Headers	1920 x 1200)
	1 * PCI-E 2.0 x4 Slot
	1 * Chassis Intrusion header
	1 * AT/ATX mode select jumper
	1 * 8-bit GPIO Header
Environment	Operating Temperature : 0 ~ 40°C
	Storage Temperature : -20 ~ 85°C
	19V 120W AC-DC Adapter x1
	Power Cord x1
	Wall Mount Kit
Standard Accessory	DVI-to-VGA adapter x1
	DIN RAIL x2
	DVD Disk x1
	Manual x1
	WIFI antenna (with HBJC501F9QW-Q87-B model)
Certificate	CE,FCC,ErP For Barebone
	CE,FCC,TUV,UL,CCC,CB,ErP For Power Adapter

Specifications

>

Ce produit a ete rajouté a notre catalogue le jeudi 24 septembre 2015