

>

>



Product Name: Carte mere Zotac H55ITX-C-E  
Manufacturer: Zotac  
Model Number: CMZOH55ITX-C-E

- Nouvelle ZOTAC H55-ITX WiFi (H55ITX-C-E)
- Chipset Intel® H55 Express
- Compatible Intel® Core™ i3, Core™ i5, Core™ i7
- Compatible Intel® Core™ avec technologie Intel® HD Graphics
- Socket LGA1156
- Bus Intel® QuickPath
- Extension PCI Express 2.0 x16
- Technologie USB 3.0
- Sorties HDMI & DVI (compatible HDCP)
- 6 SATA 3.0 Gb/s + 1 eSATA
- Ethernet Gigabit
- 802.11n WiFi embarqué (300Mb/s)
- Format Mini-ITX

| Specifications | Model                  | Model      | Model                  | H55ITX-WiFi                                     | Chipset         | Manufacturer                 | Intel            | GPU         | H55 Express |
|----------------|------------------------|------------|------------------------|-------------------------------------------------|-----------------|------------------------------|------------------|-------------|-------------|
|                |                        |            |                        | CPU Compatibility                               | Name            | Intel® Core™ i3              |                  |             |             |
|                |                        |            |                        |                                                 |                 | Intel® Core™ i5              |                  |             |             |
|                |                        |            |                        |                                                 |                 | Intel® Core™ i7 (800 series) |                  |             |             |
|                |                        |            |                        | Intel® Core™ Processors with Intel® HD Graphics | Socket          | LGA1156                      | Front-side bus   | Intel®      |             |
|                | QuickPath              | Memory     | Memory Type            | DDR3                                            | Memory Speed    | 1066/1333 MHz                | Slots            | 2 x 240-pin |             |
|                | DIMM                   | Capacity   | Up to 8GB              | Expansion                                       | Expansion Slots | 1 x PCI Express x16          |                  |             |             |
|                |                        |            |                        | 1 x Mini-PCI Express (occupied by WiFi)         |                 |                              |                  |             |             |
| 3D API         | DirectX                | DirectX 10 | OpenGL                 | OpenGL 2.1                                      | Networking      | Ethernet                     | 10/100/1000 Mbps |             |             |
| WiFi           | 802.11n WiFi (300Mbps) | Audio      | Analog                 | 8-ch HD                                         | Digital         | Optical S/PDIF & HDMI output |                  |             |             |
|                |                        | Ports      | DVI                    | 1 (HDCP)                                        |                 |                              |                  |             |             |
|                |                        | HDMI       | 1 (1080p w/8-ch audio) |                                                 |                 |                              |                  |             |             |
|                |                        | VGA        | With included adapter  |                                                 |                 |                              |                  |             |             |

$\triangleright$ 

|                    |                                                  |
|--------------------|--------------------------------------------------|
| SATA               | 6 (SATA 3.0Gb/s)                                 |
| eSATA              | 1 (SATA 3.0Gb/s)                                 |
| PS/2               | 1 (keyboard only)                                |
| Serial Port        | serial port header                               |
| USB 2.0            | 2 x USB 3.0 (on back panel)                      |
|                    | 10 x USB 2.0 (6 on back panel, 4 via pin header) |
| Firewire           | N/A                                              |
| Cooler             | Cooler                                           |
| Passive (no fan)   | Form Factor                                      |
| Form Factor        | Form Factor                                      |
| mini-ITX           | OS                                               |
| Compatibility      | Windows                                          |
| Windows® Vista/7   | Premium ready                                    |
| General            | SLI Supported                                    |
| No                 | Maximum Resolution                               |
| 2048x1536          | Other                                            |
| Wake-On Support    | Overclocking features                            |
| Packaging          | Package Contents                                 |
| 3 x SATA cables    | 1 4-pin ATX extension cable                      |
| 2 WiFi Antennas    | DVI-to-VGA adapter                               |
| 1 x I/O back plate |                                                  |

*Ce produit a ete rajouté a notre catalogue le vendredi 15 avril 2011*