

>

>



Product Name: LEO 3I525A-R000
Manufacturer: Lex
Model Number: BBLEO-3I525A-R000

Micro pc LEO Atom D525 Fanless

Spécifications du Boitier

Dimension	50 H x 240 W x 124 D mm
Material	Aluminum
Color	Black
VESA Mounting (option)	75 x 75 mm
Weight	1.22 Kgs (Incl. M/B)
Storage Space	2.5" HDD

CPU type	Intel Atom D525 1.8 GHz processor (Dual core processor)
MB Chipset	Intel Atom D525 + ICH8M (82801 HBM) Intel Luna Pier Refresh Pineview-D Integrated Graphics Engine
Graphics	Dynamic Video Memory Technology (DVMT 4.0)
Memory	1 x DDR3 SO-DIMM socket (max. 4 GB)
NAND flash memory	CF Card Type II socket for ATA interface
SATA	Two SATA ports with independent DMA operation supported
Audio	Intel High Definition Audio Specification Rev.1.0 Compliant Line-out / Mic-in / Lline-in support
LAN	2 x Realtek RLT8111DL 10 / 100 / 1000 Mbps.
IO function	1 x RS232 + 1 x RS422/485 Support PS/2 keyboard & mouse

>

USB	2 x external USB 2.0 + 5 x internal USB2.0
DIO & WDT	Hardware digital Input & Output, 8xDI / 8xDO Hardware Watch Dog Timer, 0~255 sec programmable
Expansion interface	1 x Mini PCI socket 2 x PCIe mini card for PCIe & USB interface
Power	On board DC +12V±5% convert to +3V/+5V for system
Dimensions	145 x 102 mm (3.5 inch) (MB) 50H x 240W x 124D mm (Chassis) 0~45°C (2.5" HDD / CF Card)
System Operating Temperature	Please upgrade the hard drive to industrial grade for better temperature performance
Operating Humidity	5~95%, non-condensing

Specifications

Ce produit a ete rajouté a notre catalogue le vendredi 20 janvier 2012